



For Use With *PANDUIT* *FIBERRUNNER* 4x4, 6x4, 12x4 and 24x4 Cable Routing Systems





FIBERRUNNER Spill-Over Junction

PANDUIT Part Numbers: FRSPJ2X2, FRSPJC24, FRSPJC26, FRSPJC212, FRSPJ4X4, FRSPJC44, FRSPJC46, FRSPJC412

INSTALLATION INSTRUCTIONS

© 2009 PANDUIT Corp.


FIBERRUNNER Spill-Over Junction - Typical Installation (*FIBERRUNNER* 4x4, 6x4 and 12x4 only)








For Technical Assistance, Call: 800-777-3300

INSTALLATION INSTRUCTIONS

FIBERRUNNER Spill-Over Junction - Typical Installation continued...



¼-14x½ Hex Washer Head Tapping Screw
(Typical: 2 places)




For Technical Assistance, Call: 800-777-3300

INSTALLATION INSTRUCTIONS


FIBERRUNNER Spill-Over Junction - Typical Installation

(FIBERRUNNER 24x4 only)

1



2




INSTALLATION INSTRUCTIONS


FIBERRUNNER Spill-Over Junction - Typical Installation continued...

3

Head of T-Bolt to be completely seated flush against Support Bracket and flange on Channel




4




INSTALLATION INSTRUCTIONS

FIBERRUNNER Spill-Over Junction Channel Cover - Typical Installation

(FIBERRUNNER 4x4, 6x4 and 12x4 only)









FIBERRUNNER Spill-Over Junction Channel Cover - Typical Hinging Operation



For Technical Assistance, Call: 800-777-3300

INSTALLATION INSTRUCTIONS



Instruction Sheet RW251

WORLDWIDE SUBSIDIARIES AND SALES OFFICES

17301 Ridgeland Avenue
 Tinley Park, IL 60477-3901
 Web Site: www.panduit.com



Fax: 708-532-1811
 Technical Support: 800-777-3300
 E-mail: cs@panduit.com